


TOMCAT®

Handmade in U.S.A. - Est 1986

Premium **v2 Series** Full Line




**MADE IN
USA**


Family-Owned & Operated



Scrubbers

Sweepers

Choose Your Scrub Deck




Cylindrical Benefits

- Eliminates Pre-Sweeping
- Scrub & Sweep Simultaneously
- Superior Tile & Grout Cleaning
- Great for Indoor Track Fields



Disk Benefits

- Largest Brush/ Pad Selection
- Lowest Maintenance Cost
- Best Performance on Irregular Floors
- Brushes Individually driven



EDGE Benefits

- Chemical Free Stripping
- Reduce Slip & Fall Potential
- 70% Reduction in Water Usage
- VCT Prep & Recoat

Choose Your Controller - v2 Series Walk Behinds & Riders


Military Grade

(Year 1970 Technology)



Touch Screen

(Year 2010 Technology)



Military Grade

(Year 1970 Technology)



Legacy

(Year 2000 Technology)




Touch Screen

(Year 2010 Technology)




- ①* Polypropylene: Black / Medium - Light
- ② Nylon: White / Light - Soft
- ③ Tampico: Tan / Soft
- ④* Tufted Pad Driver: Red / Variety Pads
- ⑤* Neoprene Pad Driver: Black / Variety Diamond Pucks
- ⑥* Super Grit: Orange / Extreme Rough
- ⑦ Tough Grit: Black / Very Rough
- ⑧ Midi Grit: Blue / Rough
- ⑨ Light Grit: Grey / Medium

Choose Your Brush



*Not offered on Cylindrical Brushes



Patented Bandeau System

- This design was so unique and meaningful it earned a US Patent, and something you won't find elsewhere.
- The black bandeau is vacuumized and holds 1-gallon of foam or dirty water away from the vac motor, backing up the primary filters and balls screens.
- The "unloader" valve automatically drains off any residual water when vac is OFF.
- The yellow muffler box both reduces the noise and also directs any digested water out a tube, to alert the operator to a problem.

Large Clear Lid




Any customer who has previously owned and operated cleaning equipment will appreciate the value of full time viewing of the dirty water recovery tank.

- This provides the operator with a real time view of the dirty water level, foam, debris tray, the vacuum's white dust filter and more.
- The fully accessible recovery tank is easily our most significant feature for cost reduction. Open the lid to clean out the recovery tank, eliminating odors and other contaminants which can become airborne and inhaled by employees.

Easy Access to key components:

- Vac Motor
- Batteries
- Deck Actuator
- Solution Valve
- Filters-Screens
- Soap Drain
- Battery Box Drain
- Unloader Valve
- Vac Switch
- Scrub Motors



Tip Back Tank

Our designers all have 25+ years of experience and recognize cleaning equipment will eventually require service.

- Tanks tip back without tools, providing easy top side access to all important service items.
- Quick access allows the technician to trouble shoot from their feet and make repairs quickly, with less chance of creating unintended problems from disassembling 5 items to get to the 1 that failed.

Choose Your Walk Behind Scrubber



Recon



MicroMini



Sport v2 Series



Carbon v2 Series



Hero v2 Series

Disk Scrub Path:

17" & 20"
(43 & 51 cm)

17" & 20"
(43 & 51 cm)

20" & 26"
(51 & 66 cm)

26" & 28"
(66 & 71 cm)

30", 32" & 34"
(76, 82 & 86 cm)

Cylindrical Path:

N / A

N / A

25"
(64 cm)

25" & 29"
(64 & 74 cm)

29" & 33"
(74 & 84 cm)

EDGE Path:

N / A

20" & 24"
(51 & 61 cm)

20", 24" & 28"
(51, 61 & 71 cm)

24" & 28"
(61 & 71 cm)

28" & 32"
(71 & 81 cm)

Dimensions (L×W×H):

35" × 18" × 38"
(88.9 × 45.7 × 96.5 cm)

42" × 21" × 39"
(107 × 53 × 99 cm)

50" × 23" × 39"
(127 × 58 × 99 cm)

56" × 28" × 43"
(142 × 71 × 109 cm)

62" × 31" × 43"
(157 × 66 × 109 cm)

Solution / Recovery Tank:

10 Gal / 10 Gal
(37.6 / 37.6 liters)

10 Gal / 10 Gal
(38 / 38 liters)

13 Gal / 15 Gal
(49 / 57 liters)

21 Gal / 23 Gal
(76 / 87 liters)

35 Gal / 37 Gal
(133 / 140 liters)

Run Time:

Up to 2 Hours*

Up to 3 Hours*

Up to 2.5 Hours*

Up to 3.5 Hours*

Up to 5.0 Hours*

Theoretical Coverage:


Up to 15,748 sqft/hr
(1,436 sqm/hr)

Up to 15,748 sqft/hr
(1,436 sqm/hr)

Up to 26,000 sqft/hr
(2,415 sqm/hr)

Up to 29,029 sqft/hr
(2,696 sqm/hr)

Up to 33,932 sqft/hr
(3,152 sqm/hr)



Choose Your Rider Scrubber



Pro v2 Series

CRZ v2 Series

EX v2 Series

HD v2 Series

Disk Scrub Path:

26" & 28"
(66 & 71 cm)

26", 28", 30" & 34"
(66, 71, 76 & 86 cm)

30", 34" & 36"
(76, 86 & 91 cm)

40" & 45"
(102 & 114 cm)

Cylindrical Path:

25" & 29"
(64 & 74 cm)

25", 29" & 33"
(64, 74 & 84 cm)

29", 33" & 37"
(74, 84 & 94 cm)

40" & 46"
(102 & 112 cm)

EDGE Path:

24" & 28"
(61 & 71 cm)

28" & 32"
(71 & 81 cm)

N / A

N / A

Dimensions (L×W×H):

53" × 31" × 57"
(134 × 76 × 144 cm)

66" × 34" × 64"
(168 × 86 × 163 cm)

70" × 37" × 57"
(158 × 81 × 145 cm)

77" × 43" × 56"
(195 × 109 × 142 cm)

Solution / Recovery Tank:

22 Gal / 23 Gal
(83 / 87 liters)

33 Gal / 36 Gal
(125 / 136 liters)

46 Gal / 49 Gal
(174 / 186 liters)

65 Gal / 78 Gal
(246 / 295 liters)

Run Time:

Up to 3.5 Hours*

Up to 5.5 Hours*

Up to 5 Hours*

Up to 5 Hours*


Theoretical Coverage:

Up to 40,000 sqft/hr
(3,716 sqm/hr)

Up to 47,000 sqft/hr
(4,366 sqm/hr)

Up to 51,000 sqft/hr
(4,738 sqm/hr)

Up to 63,000 sqft/hr
(5,853 sqm/hr)



Choose Your Stick Machine



NANO EDGE




42 VOLT CORDLESS NANO EDGE



EDGE ISO 20"

Cleaning Path:	10.5" (26.7 cm)	10.5" (26.7 cm)	20" (50.8 cm)
Pad Dimensions:	10.5" x 5.25" (26.7 x 13.3 cm)	10.5" x 5.25" (26.7 x 13.3 cm)	20" x 14" (50.8 x 35.6 cm)
Motor Power:	0.33 HP (246.1 watts)	0.33 HP (246.1 watts)	1.5 HP (1118.6 watts)
RPM 120 VAC / 60 Hz (220 VAC / 50 Hz):	4,100 RPM (3,400 RPM)	4,100 RPM (3,400 RPM)	3,450 RPM (2,850 RPM)
Material:	Steel Head	Steel Head	Stainless Steel
Weight:	22 lbs (10 kg)	22 lbs (10 kg)	144 lbs (up to 232 lbs) (65.3 kg [up to 105.2 kg])
Productivity:	N / A	N / A	Up to 5,000 sqft/hr (464.5 sqm/hr)






GT

VR


Sweep Path:	34" (86.4 cm)	46" (116.8 cm)
Main Broom:	26" x 10" (66 x 25 cm)	32" x 10" (81.3 x 25 cm)
Hopper Capacity:	2 cubic feet (56.6 liters)	4 cubic feet (113.3 liters)
Dimensions (L×W×H):	58" × 31" × 38" (147.3 × 78.7 × 96.5 cm)	64" × 37" × 55" (162.6 × 94 × 139.7 cm)
Run Time:	Up to 4 Hours*	Up to 7 Hours*
Theoretical Coverage:	Up to 30,000 sqft/hr (2,787.1 sqm/hr)	Up to 60,000 sqft/hr (5,574.2 sqm/hr)



ZERO3[®]

Chemical Free Cleaning Technology


Replace your All-Purpose floor cleaners with one of Earth's powerful oxidizer's - Aqueous Ozone. Easy to utilize in your daily cleaning regiment.



A 3-way toggle controls ZERO3[®] AO output with dual LED indicators as to what mode is being utilized.




ZERO3[®] AO is operator and facility safe with a triple 0 on the safety diamond.




1. Splitting O₂

The ZERO3[®] AO Generators split Oxygen (O₂) molecules into single radical Oxygen (O₁) atoms via the corona discharge.




2. O₂ Becomes O₃

The single radical Oxygen (O₁) atoms bond to remaining Oxygen (O₂) molecules, creating Ozone (O₃).



3. O₃ Attacks

The radically bonded Oxygen (O₁) atom will attach to the contaminant and destroy the cell wall, oxidizing the contaminant.



4. O₃ Becomes O₂

Now, only simple Oxygen (O₂) molecules are left, suitable for safe disposal.

Our Family's American Dream

RPS has been family owned from it's inception in 1986, and proudly builds in Wisconsin (USA). The company has grown over the last 35-years with a strong group of executives including the 2nd generation of family owners who started in the shop as youngsters.



Assembled By Hand

Our American workforce hand builds each machine with components sourced over 95% from American suppliers. We routinely pay more for these domestically supplied components required to build a superior product. All design, prototyping, production and testing is done in-house where we can best control quality.



Authorized Distributor



V25027




Steel Fabrication

We produce heavy duty equipment and require a good amount of thick steel in the construction. We use a combination of Stainless 304 (Austenitic 18/8) and mild steel with e-coating + powder paint for corrosion resistance. Steel fabrication is done in-house or from local suppliers with specialty equipment.



Rotational Molding

Complex shapes that allow for our "tank-in-tank" design are best achieved with in-house equipment. We own multiple dual station rotational molding machines that allow us to produce finished parts from raw plastic. Producing consistently higher quality parts, and respond quickly to sales spikes.



Product Design

Our team has designed and engineered over 100 unique machines. Each new generation of machines evolve from prior designs to retain the strengths and correct any weakness. From the first pencil sketch we focus on durability, serviceability, performance, productivity, specifications, and value.